



HOSHIZAKI



STAINLESS
STEEL SERIES

UPRIGHT CHILLER / FREEZER

CHILLER

FREEZER



Volume: 628 Liters
Dimensions (with 90mm leg): 700 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves

Product Variation:




HF7H77MS4 / LS4

Volume: 628 Liters
Dimensions (with 90mm leg): 700 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Shelf: 4 nos. of shelves




Volume: 1119 Liters
Dimensions (with 90mm leg): 1200 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 8 nos. of shelves

Product Variation:



HF7H127MS4 / LS4

Volume: 1119 Liters
Dimensions (with 90mm leg): 1200 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Shelf: 8 nos. of shelves



Volume: 1365 Liters
Dimensions (with 90mm leg): 1400 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 8 nos. of shelves

Product Variation:



HF7H147MS4 / LS4

Volume: 1365 Liters
Dimensions (with 90mm leg): 1400 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Shelf: 8 nos. of shelves




Volume: 1720 Liters
Dimensions (with 90mm leg): 1800 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to +12°C
Shelf: 12 nos. of shelves

Product Variation:



HF7-187MS4 / LS4

Volume: 1720 Liters
Dimensions (with 90mm leg): 1800 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Shelf: 12 nos. of shelves





Volume:
Dimensions (with 90mm leg):
Power Supply:
Temperature Range:
Shelf:
Product Variations:

HRW-76

507 Liter
 680 (W) x 760 (D) x 1890
 230V AC / 50 Hz
 -2°C to 12°C
 4 Nos
 Basic Model

HRW-125

988 Liter
 1220 (W) x 760 (D) x 1890
 230V AC / 50 Hz
 -2°C to 12°C
 8 Nos
 Basic Model

STATIC RANGE



Volume:
Dimensions (with Castors):
Power Supply:
Temperature Range:
Shelf:

RTSW97MS4-GNTE

270 Liters
 900 (W) X 700 (D) X 1056 (H)
 230V AC / 50 Hz
 -2°C to 8°C
 4 nos. of shelves / 4 rail sets

RTSW137MS4-GNTE

417 Liters
 1350 (W) X 700 (D) X 1056 (H)
 230V AC / 50 Hz
 -2°C to 8°C
 6 nos. of shelves / 6 rail sets

UPRIGHT COMBI



Volume:
Dimensions (with 90mm leg):
Power Supply:
Temperature Range:
Shelf:
Product Variation:

HRFWH77MS4 / LS4

Freezer: 305 Liters
 Chiller: 305 Liters
 700 (W) x 818 (D) x 1990 (H)
 230V AC / 50Hz
 Freezer: -16°C to -23°C
 Chiller: -2°C to 12°C
 4 nos. of shelves



Basic
Model



GN
Suitable

HRFWH127MS4 / LS4

Freezer: 510 Liters
 Chiller: 510 Liters
 1200 (W) x 818 (D) x 1990 (H)
 230V AC / 50Hz
 Freezer: -7°C to -25°C
 Chiller: -2°C to 12°C
 8 nos. of shelves



Basic
Model



Basic
Long Door

LS4 INDICATES LED (OPTIONAL)

LONG GLASS UNITS



HRWH77LS4-LG

Volume: 628 Liters
Dimensions: 700 (W) x 818 (D) x 2050 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: Full Glass Door - 4 Shelves



HRWH127LS4-LG

Volume: 1119 Liters
Dimensions: 1200 (W) x 818 (D) x 2050 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: Full Glass Door - 8 Shelves



SRC950-HL

Volume: 807 Liters
Dimensions (with 150mm leg): 1025 (W) x 707 (D) x 2052 (H)
Power Supply: 230V AV / 50 Hz
Temperature Range: 0°C to +10°C
Door / Shelf: 10 nos. of shelves

Product Variation:



Basic
Model

UPRIGHT SHOWCASE



STAINLESS STEEL SERIES


DRAWER SERIES



RTDW137MS4-33

Volume: 305 Liters
Dimensions (with 150mm leg): 1300 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: NA


Product Variation:



RTDW187MS4-333

Volume: 461 Liters
Dimensions (with 150mm leg): 1765 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: NA

Product Variation:



UNDER COUNTER CHILLER / FREEZER



Volume: 171 Liters
Dimensions (with 150mm leg): 700 (W) x 755 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 2 nos. of shelves

Product Variation:




CHILLER

RTWH70MS4 / LS4

FREEZER


FTWH70MS4 / LS4

Volume: 171 Liters
Dimensions (with 150mm leg): 700 (W) x 755 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 2 nos. of shelves



Volume: 306 Liters
Dimensions (with 150mm leg): 1200 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves


Product Variation:



RTWH120MS4 / LS4

FTWH120MS4 / LS4

Volume: 306 Liters
Dimensions (with 150mm leg): 1200 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 4 nos. of shelves



Volume: 233 Liters
Dimensions (with 150mm leg): 1200 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves


Product Variation:



RTWH126MS4 / LS4

FTWH126MS4 / LS4

Volume: 233 Liters
Dimensions (with 150mm leg): 1200 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 4 nos. of shelves



Volume: 418 Liters
Dimensions (with 150mm leg): 1500 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves

Product Variation:



RTWH150MS4 / LS4

FTWH150MS4 / LS4

Volume: 418 Liters
Dimensions (with 150mm leg): 1500 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 4 nos. of shelves



Volume: 318 Liters
Dimensions (with 150mm leg): 1500 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves

Product Variation:



RTWH156MS4 / LS4

FTWH156MS4/LS4

Volume: 318 Liters
Dimensions (with 150mm leg): 1500 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 4 nos. of shelves



• LS4 INDICATES LED (OPTIONAL)

CHILLER

FREEZER



RTWH127MS4-GN / LS4-GN

Volume: 282 Liters
Dimensions (with 150mm leg): 1200 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves

Product Variation:



GN Suitable



With Splash Back Top 150mm



Prep. Table Single Row



Prep. Table Single Row with SB

FTWH127MS4-GN / LS4-GN

Volume: 282 Liters
Dimensions (with 150mm leg): 1200 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 4 nos. of shelves



GN Suitable



With Splash Back Top 150mm



RTWH177MS4-GN / LS4-GN

Volume: 436 Liters
Dimensions (with 150mm leg): 1660 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 6 nos. of shelves

Product Variation:



GN Suitable



With Splash Back Top 150mm



Prep. Table Single Row



GN Suitable



With Splash Back Top 150mm

FTWH177MS4-GN / LS4-GN

Volume: 436 Liters
Dimensions (with 150mm leg): 1660 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 6 nos. of shelves



RTWH180MS4 / LS4

Volume: 526 Liters
Dimensions (with 150mm leg): 1800 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 6 nos. of shelves

Product Variation:



With Splash Back Top 150mm



Prep. Table Single Row



Prep. Table Double Row



Prep. Table Single Row with SB



Prep. Table Single Row



With Splash Back Top 150mm

FTWH180MS4 / LS4

Volume: 526 Liters
Dimensions (with 150mm leg): 1800 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 6 nos. of shelves



RTWH186MS4 / LS4

Volume: 400 Liters
Dimensions (with 150mm leg): 1800 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 6 nos. of shelves

Product Variation:



With Glass



With Splash Back Top 150mm



Prep. Table Single Row




Prep. Table Single Row with SB



With Splash Back Top 150mm

FTWH186MS4 / LS4

Volume: 400 Liters
Dimensions (with 150mm leg): 1800 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 6 nos. of shelves



RELIABLE SERVICE

Our extensive service network ensures swift service and maintenance for all Western Equipment.

Call us at : **70450 17000**



COMPLETE SALES SUPPORT

With 25 branches across India, we're here to fulfill all your refrigeration needs.

Reach out at : **022 6907 0000**

SOUTH ZONE:

- Chennai** : Old No.14, New No. 47, 12th Avenue, Ashok Nagar, Chennai-600 083.
- Coimbatore** : Priya Ware House, No. 52/1, Uzhalaipalar Street, Periyagounden, Thottam, Urumandampalayam, G.N. Mills Post, Coimbatore-641 029.
- Cochin** : B.No: 2/378A, Methanam Road, Floor North, Udyogamandal P.O. Kochi-683 501.
- Hyderabad** : D. No: 2 - 99, K.S.Towers, Vennelagadda, Besides Sarvothama Care, Near Suchitra Centre, Jedimetla (V), Hyderabad-500 055.
- Bangalore** : Survey 42/1, Katha No. 191/142/1, Haralukkute Village, Begur Hobli, Trio Apparels Compound, Hosapalya, Muneshwar Nagar, Kudlu Main Road, Bangalore-560 068.
- Vijaywada** : Door No.2-105/2, Kamakshi Godown, Nallagunta Centre, Gollapudi, Vijayawada Rural, Krishna Dist., AP-521 225.
- Vizag** : Served from Vijaywada.
- Hubli** : C/O -Madhuban Industries, Plot No. 117, 179 Rayapur Industrial Area, Behind Navalur Railway Goods Shed, Dharwad-580 009 (Karnataka)

EAST ZONE

- Kolkata** : 19A Jawaharlal Nehru Road, 3rd Floor, Flat No. D/1, Kolkata-700 087.
- Bhubaneswar** : C/O-Lingaraj Body Building Works, Plot No-1143, Near U.G.M.E School, At Hanspal, PS-Mancheswar, Bhubaneswar-752 101 (ODISHA).
- Patna** : S S Vihar, 4th Floor, Flat No.107, Station Road, Karbigahiya, Beside Bhagawati Complex and Ram Dulari Hotel, Patna-800 001.
- Guwahati** : 1st Floor, Upasana Palace Complex, R P Road, Ganeshguri, Guwahati, Kamrup Metropolitan Guwahati - 781 006, Assam.
- Ranchi** : Lower Chutia, Samlong, Ranchi, Jharkhand-834 001.
- Chattisgarh** : Acharya Nanesw Marg, D-272 M.R. Colony Tagore Nagar Square, Raipur-492 001 (CG)

WEST ZONE:

- Mumbai RO** : 7B Pannalal Silk Mills Compound, 78 LBS Marg, Bhandup (W), Mumbai, Maharashtra.
- Mumbai HO** : 501-505, 05th Floor, Ascot Centre, Sahar Road, Beside Hotel Hilton, Andheri (East), Mumbai-400 099
- Pune** : 2163/26, Manas Building, Near Nilayam theatre, Sadashiv Peth, Pune-411 030.
- Nashik** : Bilvadal Bungalow, Gaikwad Mala, Near Jain Bhavan, Nasik Road, Pin-422 101.
- Nagpur** : Plot No. 54, Veer Sawarkar Nagar, Near Chhatrapati Square, Nagpur-440 015.
- Ahmedabad** : 203, ABC -II, Opp. Wagh Bakri Tea Lounge, Near St. Xavier College Corner, Off CG Road, Navrangpura, Ahmedabad-380 009.
- Rajkot** : Served From Ahmedabad.
- Goa** : Shop No. 1 & 2, Ground Floor, Bearing S.V.No. 82/4, Mercurim, Agassaim-403 204, Goa.
- Indore** : Plot No.160 PU 4 Scheme No. 54, A.B. Road, Indore-452 001.
- Vapi** : Contact No. 7567533958

NORTH ZONE:

- Delhi** : Unit No. GH-1, Ground Floor, Vardhman Grand Plaza, Manglam Place, Sector-3, Rohini, Delhi-110 085.
- Jaipur** : Hall Mark, Special ("F"), Road No. 1, Industrial Estate 22 Godam, Jaipur, Rajasthan-302 006.
- Lucknow** : Ho. No. 610/2395 (533a) Faizullahganj - 3, Keshav Nagar, Sitapur Road, Lucknow (U.P)-226 021.
- Ludhiana** : 4222/1, Bent Pura, Chandigarh Road, Behind Sitech Computer, Ludhiana-141 010.
- Chandigarh** : Near Hotel KK Residency Shop No. 1, House No. 213 Sector 52, Village-Kajheri Chandigarh (U.T)-160 047.
- Jammu** : Birpur, Purmandal Road, Samba Jammu-181 133 (INDIA).



ASIAN Kitchen Equipment Co.,
Plot No- 7-2-472, Trinity Complex.
Opp. Sri Chaitanya Junior Kalasala,
Near Sanath Nagar Bus Stand,
Hyderabad, Telangana -500018.
TeleFax: 040-23810030
Mobile: 8801532299
asiankitchen123@gmail.com

ASIAN
Kitchen Equipment Company