





SINCE 1972



ICE MACHINES

IM - N SERIES

Cube Size



IM-30CA

Capacity:	30 kgs/day
A.T. 10°C W.T.10°C:	30
Production Capacity:	
A.T. 21°C W.T.15°C:	28
A.T. 32°C W.T. 21°C:	25
Bin Capacity:	12
Dimension (mm):	398 (W) x 510 (D) x 695 (H)
Shipping weight (kgs):	49



IM-45CA

Capacity:	47 kgs/day
A.T. 10°C W.T.10°C:	47
Production Capacity:	
A.T. 21°C W.T.15°C:	44
A.T. 32°C W.T. 21°C:	38
Bin Capacity:	15
Dimension (mm):	660 (W) x 570 (D) x 695 (H)
Shipping weight (kgs):	65



IM-45CNE

Capacity:	44 kgs/day
A.T. 10°C W.T.10°C:	44
Production Capacity:	
A.T. 21°C W.T.15°C:	40
A.T. 32°C W.T. 21°C:	32
Bin Capacity:	15
Dimension (mm):	633 (W) x 511 (D) x 690 (H)
Shipping weight (kgs):	56



IM-65NE LM

Capacity:	63 kgs/day
A.T. 10°C W.T.10°C:	63
Production Capacity:	
A.T. 21°C W.T.15°C:	56
A.T. 32°C W.T. 21°C:	46
Bin Capacity:	26
Dimension (mm):	633 (W) x 506 (D) x 860 (H)
Shipping weight (kgs):	61



IM-65NE Q

Capacity:	26 kgs/day
A.T. 10°C W.T.10°C:	26
Production Capacity:	
A.T. 21°C W.T.15°C:	24
A.T. 32°C W.T. 21°C:	20
Bin Capacity:	17
Dimension (mm):	633 (W) x 506 (D) x 860 (H)
Shipping weight (kgs):	66



IM-130A

Capacity:	126 kgs/day
A.T. 10°C W.T.10°C:	126
Production Capacity:	
A.T. 21°C W.T.15°C:	125
A.T. 32°C W.T. 21°C:	100
Bin Capacity:	52
Dimension (mm):	660 (W) x 570 (D) x 1200 (H)
Shipping weight (kgs):	98



IM-240NE

Capacity:	220 kgs/day
A.T. 10°C W.T.10°C:	220
Production Capacity:	
A.T. 21°C W.T.15°C:	205
A.T. 32°C W.T. 21°C:	160
Bin Capacity:	110
Dimension (mm):	704 (W) x 665 (D) x 1510 (H)
Shipping weight (kgs):	128



IM-220AA

Capacity:	185 kgs/day
A.T. 10°C W.T.10°C:	185
Production Capacity:	
A.T. 21°C W.T.15°C:	170
A.T. 32°C W.T. 21°C:	155
Bin Capacity:	Various
Dimension (mm):	560 (W) x 639 (D) x 775 (H)
Shipping weight (kgs):	76

FM - FLAKES \ NUGGET ICE



FM-80KE/N

Capacity:	65 kgs/day
A.T. 10°C W.T.10°C:	65
Production Capacity:	
A.T. 21°C W.T.15°C:	55
A.T. 32°C W.T. 21°C:	45
Bin Capacity:	32
Dimension (mm):	640 (W) x 600 (D) x 800 (H)
Shipping weight (kgs):	75



FM-150KE/N

Capacity:	140 kgs/day
A.T. 10°C W.T.10°C:	140
Production Capacity:	
A.T. 21°C W.T.15°C:	120
A.T. 32°C W.T. 21°C:	100
Bin Capacity:	32
Dimension (mm):	640 (W) x 600 (D) x 800 (H)
Shipping weight (kgs):	82

FM-300AKE/N

Capacity:	270 kgs/day
A.T. 10°C W.T.10°C:	270
Production Capacity:	
A.T. 21°C W.T.15°C:	225
A.T. 32°C W.T. 21°C:	180
Bin Capacity:	Various
Dimension (mm):	560 (W) x 700 (D) x 780 (H)
Shipping weight (kgs):	87



FM-480AKE/N

Capacity:	500 kgs/day
A.T. 10°C W.T.10°C:	430
Production Capacity:	
A.T. 21°C W.T.15°C:	360
A.T. 32°C W.T. 21°C:	290
Bin Capacity:	Various
Dimension (mm):	560 (W) x 700 (D) x 780 (H)
Shipping weight (kgs):	102

FM-600AKE/N

Capacity:	600 kgs/day
A.T. 10°C W.T.10°C:	530
Production Capacity:	
A.T. 21°C W.T.15°C:	460
A.T. 32°C W.T. 21°C:	400
Bin Capacity:	Various
Dimension (mm):	560 (W) x 700 (D) x 780 (H)
Shipping weight (kgs):	114



FM-750AKE/N

Capacity:	590 kgs/day
A.T. 10°C W.T.10°C:	590
Production Capacity:	
A.T. 21°C W.T.15°C:	500
A.T. 32°C W.T. 21°C:	390
Bin Capacity:	Various
Dimension (mm):	762 (W) x 700 (D) x 780 (H)
Shipping weight (kgs):	143

FM-1000AKE/N


Capacity:	850 kgs/day
A.T. 10°C W.T.10°C:	850
Production Capacity:	
A.T. 21°C W.T.15°C:	730
A.T. 32°C W.T. 21°C:	590
Bin Capacity:	Various
Dimension (mm):	762 (W) x 700 (D) x 780 (H)
Shipping weight (kgs):	156



- Solid Stainless Steel Auger
- Sealed Gear Housing
- Auto Flush Function
- Carbon Auger Bearings

KM - CRESCENT EDGE


Cube Size



Crescent



Individual Hard
Clear Crescent Cubes



Dual Stainless
Steel evaporator



KM-40C

Capacity:	43 kgs/day
A.T. 10°C W.T.10°C:	43
Production Capacity:	
A.T. 21°C W.T.15°C:	41
A.T. 32°C W.T. 21°C:	33
Bin Capacity:	16
Dimension (mm):	452 (W) x 610 (D) x 842 (H)
Shipping weight (kgs):	50



KM-60C

Capacity:	60 kgs/day
A.T. 10°C W.T.10°C:	60
Production Capacity:	
A.T. 21°C W.T.15°C:	56
A.T. 32°C W.T. 21°C:	45
Bin Capacity:	23
Dimension (mm):	605 (W) x 610 (D) x 842 (H)
Shipping weight (kgs):	58



KM-80C

Capacity:	80 kgs/day
A.T. 10°C W.T.10°C:	80
Production Capacity:	
A.T. 21°C W.T.15°C:	74
A.T. 32°C W.T. 21°C:	57
Bin Capacity:	34
Dimension (mm):	605 (W) x 712 (D) x 842 (H)
Shipping weight (kgs):	64



KM-130C

Capacity:	130 kgs/day
A.T. 10°C W.T.10°C:	130
Production Capacity:	
A.T. 21°C W.T.15°C:	120
A.T. 32°C W.T. 21°C:	90
Bin Capacity:	55
Dimension (mm):	630 (W) x 719 (D) x 1333(H)
Shipping weight (kgs):	81



KMD-201AA

Capacity:	190 kgs/day
A.T. 10°C W.T.10°C:	190
Production Capacity:	
A.T. 21°C W.T.15°C:	167
A.T. 32°C W.T. 21°C:	135
Bin Capacity:	Various
Dimension (mm):	560 (W) x 625 (D) x 610 (H)
Shipping weight (kgs):	73



KMD-270AA

Capacity:	265 kgs/day
A.T. 10°C W.T.10°C:	265
Production Capacity:	
A.T. 21°C W.T.15°C:	248
A.T. 32°C W.T. 21°C:	221
Bin Capacity:	Various
Dimension (mm):	560 (W) x 625 (D) x 610 (H)
Shipping weight (kgs):	73



KM-470AJ

Capacity:	495 kgs/day
A.T. 10°C W.T.10°C:	495
Production Capacity:	
A.T. 21°C W.T.15°C:	480
A.T. 32°C W.T. 21°C:	380
Bin Capacity:	Various
Dimension (mm):	762 (W) x 695 (D) x 825 (H)
Shipping weight (kgs):	136

ICE DISPENSER

DCM-60 KE / DCM-120KE

Capacity:	110/230 cups/hour
A.T. 10°C W.T.10°C:	110/230 cups/hour
Production Capacity:	
A.T. 21°C W.T.15°C:	99/209 cups/hour
A.T. 32°C W.T. 21°C:	87/188 cups/hour
Bin Capacity:	1.9/4
Dimension (mm):	350 (W) x 585 (D) x 695 (H) / 815 (H)
Shipping weight (kgs):	56/66

Capcities indicated are indicated are 10°C Water & 10°C Ambient Temp



	B-301	B-501	B-801
	W: 560mm	W: 760mm	W: 1220mm
KMD 201AA	✓	✓	✓
KMD 270AA	✓	✓	✓
KM 1301SAHE			✓
FM 300AKE	✓	✓	✓
FM 480 AKE	✓	✓	✓
FM 600 AKE		✓	✓
FM 750AKE		✓	✓
FM 1000AKE		✓	✓
IM-220AA	✓	✓	✓

OPTIONAL BINS

B-301/ B-501/ B-801

Capacity:
144/217/348 kgs

Dimensions:
820 (D) x 1016 (H)



B-301




B-501



B-801

WESTERN ICE MACHINE

Rhombic
Shapes Ice



WOI 30H

Ice Shape (mm):	Cube (22 x 22 x 22)
Cap / Day (kgs):	26.3 (21°C Ambient & 15°C Inlet Water Temp.)
Storage Capacity:	9.5 kg
Dimensions (mm):	415 (W) x 467 (D) x 768 (H) (with 25mm leg)
Net Weight:	38 kg
Power Supply:	230V Ac/50Hz

WOI-45

Ice Shape (mm):	Cube (22 x 22 x 22)
Cap / Day (kgs):	36.5 (21°C Ambient & 15°C Inlet Water Temp.)
Storage Capacity:	15 kg
Dimensions (mm):	550 (W) x 596 (D) x 897 (H) (with 90mm leg)
Net Weight:	45 kg
Power Supply:	230V Ac/60Hz



The Ice makers are designed to operate in an ambient temperature of 38°C and 75% RH



WOI-80

Ice Shape (mm):	Cube (22 x 22 x 22)
Cap / Day (kgs):	67.1 (21°C Ambient & 15°C Inlet Water Temp.)
Storage Capacity:	32 kg
Dimensions (mm):	660 (W) x 708 (D) x 1084 (H) (with 90mm leg)
Net Weight:	63 kg
Power Supply:	230V Ac/60Hz

WOI-125

Ice Shape (mm):	Cube (22 x 22 x 22)
Cap / Day (kgs):	98.5 (21°C Ambient & 15°C Inlet Water Temp.)
Storage Capacity:	43.6 kg
Dimensions (mm):	660 (W) x 708 (D) x 1232 (H) (with 90mm leg)
Net Weight:	66 kg
Power Supply:	230V Ac/60Hz



The Ice makers are designed to operate in an ambient temperature of 38°C and 75% RH